

We live packaging.



Updated: October 2009

2. Conical, stackable pails

Nominal capacity liter	Ø mm	Height mm	Closures						Design type approval		
			CL	CR	SPM	L-Ring	T-Ex	DS	without	RID/ADR	UN
3,5	163/155	180		■	■					RID/ADR/0A2/Y6/S	
3,5	163/155	180		■	■	■			■		UN/1A2/Y/100
5	185/173	227		■	■				■	RID/ADR/0A2/Y9/S	UN/1A2/Y/100
5	242/230	188		■	■				■	RID/ADR/0A2/Y17/S	
5,5	185/173	245		■	■				■	RID/ADR/0A2/Y9/S	UN/1A2/Y/100
6	185/173	259		■	■				■	RID/ADR/0A2/Y9/S	UN/1A2/Y/100
6	230/217	175		■	■					RID/ADR/0A2/Y17/S	
6	230/217	175		■	■	■			■		UN/1A2/Y/100
9	230/217	227		■	■					RID/ADR/0A2/Y17/S	
9	230/217	227		■	■	■			■		UN/1A2/Y/100
9	242/217	234		■	■					RID/ADR/0A2/Y17/S	
9	242/230	235	■	■	■				■		
10	230/217	281	■	■	■	■		■	■		
10	230/217	281		■	■					RID/ADR/0A2/Y17/S	
10	230/217	281		■	■	■	■				UN/1A2/Y/100
11	242/230	284		■	■				■	RID/ADR/0A2/Y17/S	
11	230/217	300		■	■					RID/ADR/0A2/Y17/S	
11	230/217	300		■	■	■			■		UN/1A2/Y/100
12	230/217	325	■	■	■	■			■		
12	230/217	325		■	■					RID/ADR/0A2/Y17/S	
12	230/217	325		■	■	■	■				UN/1A2/Y/100
12	230/217	340		■	■					RID/ADR/0A2/Y17/S	
12	230/217	340		■	■	■			■		UN/1A2/Y/100
12	242/230	306		■							UN/1A2/Y/100
12	242/230	308		■	■					RID/ADR/0A2/Y17/S	
12	242/230	309	■	■	■				■		
12	280/262	225		■					■	RID/ADR/0A2/Y37/S	UN/1A2/Y/100
13	242/230	333		■	■					RID/ADR/0A2/Y17/S	
15	242/230	374	■	■	■				■		
15	280/262	295		■					■	RID/ADR/0A2/Y37/S	UN/1A2/Y/100
20	280/262	376	■	■	■			■	■		
20	280/262	376		■						RID/ADR/0A2/Y37/S	UN/1A2/Y/100
20	280/262	376						■			UN/1A2/Y/100
20	280/262	391	■	■	■				■		
20	280/262	391		■						RID/ADR/0A2/Y37/S	UN/1A2/Y/100